


How to measure non-adherence?

November 18, 2019



Adherence: What do we mean?



*gold standard-snapshot

**gold-standard-continuous

Vrijens et al. JAClinP 2016

Methods to measure

Table 1. Characteristics of current asthma medication adherence measurement tools

	Direct self-report	Indirectly by health care provider	Patient self-report	Electronic diary	Electronic monitoring devices
Common measure of adherence	Yes	No	Yes	Yes	Yes
Objective/adherence	Yes	No	No	Yes	Yes
Cost	Medium	Medium	Low	Medium	High
Confirmation of intake	Yes	Yes	Yes	Yes	Yes
Denotes erratic non-adherence	Yes	Yes	Yes	Yes	Yes
Denotes intelligent non-adherence	Yes	Yes	Yes	Yes	Yes
Denotes unwilling non-adherence	Yes	Yes	Yes	Yes	Yes
Relates only adherence to asthma control	Yes	Yes	Yes	Yes	Yes

Green: positive; orange: medium; red: negative.

Van Boven et al. PCRM 2015



University Medical Center Groningen

3


Patient reported

TAI® Test of Adherence to Inhalers

Item 1: "I forget to take my inhalation medication" Item 2: "I change the dosage of my inhalation medication" Item 3: "I stop taking my inhalation medication for a while" Item 4: "I decide to skip one of my inhalation medication doses" Item 5: "I use my inhalation medications less than is prescribed" Score: score MARS-5 (range = 5-35).

This MARS-5 sum score was calculated by summing scores from each individual question.

+: snel, goedkoop & helpt in "phenotyping" therapietrouw
-: self-report kan overschatting geven



NOTE: do NOT use Morisky (MMAS)!


Plaza et al. J Aerosol Med Pulm Drug Deliv. 2016
Lee J et al. Eur Respir J 2018



University Medical Center Groningen

4

Electronic adherence monitoring



5

Smart bottles, blisters & pills



- Smart bottle (trial)
- Smart blister
- Smart pill



- Technical validation
- Usability



Zijp et al. To be submitted



6

Smart inhalers



7

Smart inhalers: Turbuplus trial



Van de Hei et al. In preparation

8

University Medical Center Groningen